



# NRG Bi-FOLD DOOR

Sculptured PVCu Bi-Folding Door



*Platinum*<sup>®</sup>  
**NRG**

[www.platinumnrg.co.uk](http://www.platinumnrg.co.uk)

# NRG Bi-FOLD DOOR

Platinum<sup>®</sup>  
NRG

DOOR HANDLES




Door handles are unique in design and allow the doors to fold properly without fouling the frames of the adjoining panes. Available in four finishes with matching lie-flat handles that also enable the panes to fold flat without any obstruction from the hardware.



All doors can slide in one direction and incorporate

## STANDARD FINISHES

### PlatinumNRG Sculptured



LIE-FLAT HANDLES

## OPTIONAL FINISHES

A wide range of woodgrain and coloured-foil options are available for either or both internal and external faces or even differing frames and sashes.



[www.platinumnrg.co.uk](http://www.platinumnrg.co.uk)

# NRG Bi-FOLD DOOR

## HINGES



Only hinge knuckles visible using concealed hinges




Patented roller assembly ensures smooth, effortless operation.


## HINGE HANDLES



...or open in one direction with a traffic door opening in the opposite direction



...or open in one direction with a traffic door opening in the opposite direction



All doors slide in one direction

Separate access door hinges in one direction, additional doors slide and fold the opposite direction

  
**Platinum**  
**NRG**

# NRG Bi-FOLD DOOR



## 100% LEAD FREE PVCu

Completely free of poisonous lead stabilisers.

## GLOSS FINISH


Polished finish reduces cleaning and maintenance and retains a cleaner look for longer helping resist airborne pollutants and moulds.

## DOUBLE-GLAZED UNIT

available for entire door or by using additional transoms and mullions just for parts of the door.


Cill

## THRESHOLD OPTIONS




FRAME ONLY

56mm




86mm  
incl. cill

## FRAME AND CILL




24mm

ALUMINIUM LOW THRESHOLD



27mm

ALUMINIUM LOW THRESHOLD  
AND PART-TRAY RAMP



27mm

ALUMINIUM PART M AND TRAY

